

taps showering accessories



12 year guarantee





contact us

sales +44 (0) 1934 745160 +44 (0) 1934 745161 **fax**

email export@vado-uk.com www.vado-uk.com **web**

website available in Arabic, French, Polish, Portuguese and Spanish



shown on front cover:

NOT-100E/CC-C/P

MIR-MAG/DM-LIT

TAB-1721/NOT-CP comprising:

TAB-148/2-NOT-C/P

INS-SFMKWO-C/P

AQB-20X30/SA/A-C/P





taps



showering




accessories



wastes and fittings



kitchen mixers



guarantee

VADO is a leading British bathroom brassware manufacturer providing high quality taps, showers, accessories and fittings to customers across the globe.

every product that we offer is created and produced around our four core values

quality

All of our products are passed through stringent quality assurance processes to ensure that they reach the exacting standards that allow us to offer our 12 year guarantee.

design

Our products range from traditional mixers, shower valves and accessories to contemporary designs including waterfall style spouts, handle options in different colours and materials and products that use the latest digital control technology. Our global presence ensures we remain at the cutting edge of international design trends.

service

We pride ourselves on delivering outstanding customer service throughout the entire buying process, from initial query, through to delivery and aftersales care.

innovation

We have a team of people dedicated to developing product ranges that innovate in their form and function. We design products that not only look great but are easy to install, maintain and minimise environmental impact.



Queen's Award

In recognition of our success in global markets, VADO has been awarded The Queen's Award for Enterprise in International Trade.



THE QUEEN'S AWARDS
FOR ENTERPRISE:
INTERNATIONAL TRADE
2012




norcross

VADO is part of the Norcross Group


VADO's strict manufacturing processes ensure our products can be guaranteed for 12 years, giving peace of mind to all customers.

our exacting manufacturing standards are amongst the very best in the industry

at every stage of the production process there is a rigorous quality check



our products are quality checked a minimum of 8 times throughout the production process



we work closely with the industry's leading standards organisations to reinforce our 12 year guarantee

it's a personal experience



VADO products can be found in some of the most prestigious hotel and residential developments throughout the world.




Millgate Homes, UK



The Shard, UK



London Hilton on Park Lane, UK



Countryside Properties, UK



Co-operative Group Headquarters, UK



Cornwall Hotel and Spa, UK



Angaga Island Resort, Maldives



The Chedi Hotel, Oman



Four Seasons Hotel, Hong Kong



Freemans Bay Offices, New Zealand



JW Marriott Marquis Hotel, Dubai



The Datai Langkawi Hotel, Malaysia

it's a personal experience



VADO has a passion for creating products that give the ultimate bathing experience yet use water sustainably.

save water

VADO **E⁸b** flow regulators are designed to regulate and control the flow of water to taps and showers without hampering the performance or the design of the product.

VADO **E⁸b H₂O**

products can save up to **80%** water usage

save money

In an average household VADO **E⁸b** delivers a potential £360 saving on utility bills in one year.*

*source: VADO study

Potential £360 saving on utility bills in one year

In commercial applications the savings are even greater. The Marriott Hotel group saved almost 41,000 litres of water resulting in an annual reduction of £38,000 in costs after installing VADO **E⁸b** flow regulators in one hotel.



save the planet

We all want to try and do what we can to help protect the environment. With VADO **E⁸b** flow regulators fitted to your taps and showers, the savings in water, gas and electricity can reduce your carbon footprint.

This can only be good for the planet.



how to order


Every VADO tap or shower that can be fitted with a VADO  flow regulator has the  logo next to it in this catalogue, along with the appropriate product code for the flow regulator that you need to order to achieve water saving.


For example:


to save up to 80% water usage on a pair of KENSINGTON basin pillar taps you order:
KEN-106/CD-C/P
and
 FR-106/4-PLA
(2 are required)



to save up to 75% water usage with a GEO basin mixer you order:
GEO-101-C/P
and
 FR-FLEXI/5-PLA



to save up to 75% water usage with an ALTITUDE basin mixer you order:
ALT-100/SB-C/P
and
 FR-FLEXI/5-B-PLA



to save up to 60% water usage on an AQUABLADE shower head you order:
AQB-R0/20-C/P
and
 FR-SHOWER/9-C/P




environmental

VADO is not only committed to water saving initiatives but also takes a proactive approach to caring for the environment in other areas too.

ISO 14001

VADO is committed to environmental performance by taking a holistic approach in measuring and setting objectives in line with ISO14001.



Carbon footprint reduction

VADO recognises the importance of measuring its carbon footprint and continually aims to reduce its carbon footprint across all its business operations.



Green Achiever

VADO has been a Green Achiever since 2008. The Green Achiever Award was created to aid companies that act to reduce their impact on the environment.



Recycling

VADO has been recognised as an organisation committed to effective recycling and awarded a certificate in recognition of this by one of the country's leading recycling firms.



it's a personal experience




contemporary



The perfect tap for your bathroom can be selected from our stunning contemporary or traditional collections below.

traditional



synergie




shown opposite:
SYN-100/CC-C/P

infinity
coordinating accessories
see page 252




shama
coordinating accessories
see page 264



progressive mono basin mixer
with waterfall spout
0.2 bar LP
SYN-100/CC-C/P with clic-clac waste
SYN-100/SB-C/P without clic-clac waste
 flow regulator fitted as standard




progressive extended mono basin mixer
with waterfall spout
0.2 bar LP
SYN-100E/CC-C/P with clic-clac waste
SYN-100E/SB-C/P without clic-clac waste
 flow regulator fitted as standard



2 hole basin mixer
with waterfall spout
0.2 bar LP
SYN-109S/A-C/P
 flow regulator fitted as standard

VADO mixers fitted with a  progressive cartridge start on a cold setting, flow increases gradually with the temperature in a simple 90° turn.


 (see page 6-7 for further information)



bath shower mixer
with shower kit and waterfall spout
1.5 bar MP
SYN-133+K-C/P
Eco FR-SHOWER/9-C/P



3 hole bath shower mixer
without spout
for use with bath filler waste and overflow
3.0 bar HP
SYN-132/NS-C/P
Eco FR-SHOWER/9-C/P



4 hole bath shower mixer
with waterfall spout
3.0 bar HP
SYN-132-C/P
Eco FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P


for use with SYN-132/NS-C/P



concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
SYN-145A-C/P



concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
SYN-147A-C/P



waterfall bath spout
1.5 bar MP
SYN-140/D-C/P



waterfall bath spout
1.0 bar MP
SYN-140/W-C/P

synergie



shown here:
SYN-109S/A-C/P



altitude



altitude

shown opposite:
ALT-100/SB-C/P
ELE-182B-C/P
MIR-MAG/DM-LIT

infinity
coordinating accessories
see page 252



elements
coordinating accessories
see page 276



progressive mono basin mixer
0.2 bar MP
ALT-100/CC-C/P with clic-clac waste
ALT-100/SB-C/P without clic-clac waste
Eto FR-100/5-B-PLA

new

3 hole wall basin mixer without backplate
0.2 bar LP
ALT-109-2-C/P
Eto FR-100/5-B-PLA



3 hole wall basin mixer
0.2 bar LP
ALT-109-C/P
Eto FR-100/5-B-PLA

VADO mixers fitted with a  progressive cartridge start on a cold setting, flow increases gradually with the temperature in a simple 90° turn.

to save water just add the code shown next to the  symbol to your order (see page 6-7 for further information)

3 hole basin mixer
0.2 bar LP
ALT-101-C/P
Eto FR-100/5-B-PLA




P
mono bidet mixer
1.0 bar MP
ALT-110-C/P
Eto FR-100/5-B-PLA

4 hole bath shower mixer
3.0 bar HP
ALT-132-C/P
Eto FR-SHOWER/9-C/P



VADO mixers fitted with a **P** progressive cartridge start on a cold setting, flow increases gradually with the temperature in a simple 90° turn.

to save water just add the code shown next to the **Eto** symbol to your order (see page 6-7 for further information)



altitude



altitude





concealed stop valve
0.2 bar LP
ALT-143-C/P



concealed 2 or 3 way diverter valve
0.2 bar LP (shower) 1.0 bar MP (bath)
ALT-144-C/P
note: to use as a 3 way diverter
remove blanking plug



concealed thermostatic mixing valve
0.2 bar LP (shower) 1.0 bar MP (bath)
ALT-163A-C/P
note: this valve must be used in
conjunction with a stop valve




slide rail shower kit
with single function handset
and 900mm rail
0.2 bar LP
ALT-SFSRK-C/P
Eto FR-SHOWER/9-C/P




wall outlet elbow
ALT-OUTLET-C/P



one outlet operation:
 1 x thermostatic valve
 1 x concealed stop valve
 with studfast bracket
 0.2 bar LP (shower) 1.0 bar MP (bath)
 ALT-1291-C/P




two outlet operation:
 1 x thermostatic valve
 2 x concealed stop valves
 with studfast bracket
 0.2 bar LP (shower) 1.0 bar MP (bath)
 ALT-1292-C/P






2 or 3 outlet operation:
1 x thermostatic valve
1 x concealed stop valve
1 x concealed 2 or 3 way diverter valve with studfast bracket
0.2 bar LP (shower) 1.0 bar MP (bath)
ALT-1293-C/P



3 or 4 outlet operation:
1 x thermostatic valve
2 x concealed stop valve
1 x concealed 2 or 3 way diverter valve with studfast bracket
0.2 bar LP (shower) 1.0 bar MP (bath)
ALT-1294-C/P





notion



shown here
NOT-100/CC-C/P
NOT-1-SNAKESKIN





handle options

all mixers are supplied with a chrome handle as standard


silver rain drops or snakeskin finish handle can be purchased separately



silver rain drops

NOT-1-SILRAIN for
NOT-100/CC NOT-100/SB
NOT-100E/CC NOT-100E/SB
NOT-110

NOT-3-SILRAIN for
NOT-132 NOT-145A NOT-147A



snake skin

NOT-1-SNAKESKIN for
NOT-100/CC NOT-100/SB
NOT-100E/CC NOT-100E/SB
NOT-110

NOT-3-SNAKESKIN for
NOT-132 NOT-145A NOT-147A



mono basin mixer
1.0 bar MP
NOT-100/CC-C/P with clic-clac waste
NOT-100/SB-C/P without clic-clac waste
Eco FR-100/5-PLA




extended mono basin mixer
1.0 bar MP
NOT-100E/CC-C/P with clic-clac waste
NOT-100E/SB-C/P without clic-clac waste
Eco FR-100/5-PLA


infinity
coordinating accessories
see page 252



level
coordinating accessories
see page 260



2 hole basin mixer
0.2 bar LP
NOT-109S/A-C/P
Eto FR-100/5-PLA



2 hole basin mixer
with 220mm spout
0.2 bar LP
NOT-109S/A-220-C/P
Eto FR-100/5-PLA



3 hole basin mixer
1.0 bar MP
NOT-101-C/P
Eto FR-100/5-PLA



mono bidet mixer
with pop-up waste
1.0 bar MP
NOT-110-C/P
Eco FR-100/5-PLA



valve for use with bath filler waste
and overflow
1.0 bar MP
NOT-142/SL-C/P

3 hole bath shower mixer
without spout
for use with bath filler waste and overflow
3.0 bar HP
NOT-132/NS-C/P
Eco FR-SHOWER/9-C/P




4 hole bath shower mixer
3.0 bar HP
NOT-132-C/P
Eco FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P



for use with NOT-132/NS-C/P and NOT-142/SL-C/P



bath shower mixer
with shower kit
3.0 bar HP
NOT-133+K-C/P
Eco FR-SHOWER/9-C/P



mono sink mixer
with swivel spout
1.0 bar MP
NOT-150S-C/P
Eco FR-100/5-PLA



exposed bath shower mixer
with shower kit
1.5 bar MP
NOT-123+K-C/P
Eco FR-SHOWER/9-C/P

exposed bath shower mixer
without shower kit
1.5 bar MP
NOT-123-C/P
Eco FR-SHOWER/9-C/P





1 outlet

concealed shower valve
 0.2 bar LP (shower) 1.5 bar MP (bath)
 NOT-145A-C/P



2 outlet

concealed shower valve with diverter
 0.2 bar LP (shower) 1.5 bar MP (bath)
 NOT-147A-C/P



1 outlet **STUDFAST**

concealed thermostatic shower valve
 0.2 bar LP
 NOT-148C-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework



2 outlet **STUDFAST**

concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
 1.5 bar MP
 NOT-148C/2-C/P
 includes fittings for 1/2" and 3/4" pipework



3 outlet **STUDFAST**

concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
 1.5 bar MP
 NOT-148C/3-C/P
 includes fittings for 1/2" and 3/4" pipework



2 outlet **STUDFAST**


concealed 3 handle thermostatic shower valve
 0.2 bar LP
 NOT-128C-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework



bath spout
0.2 bar LP
NOT-140-C/P



waterfall bath spout
1.5 bar MP
SYN-140/D-C/P



waterfall bath spout
1.0 bar MP
SYN-140/W-C/P

to save water just add the code shown next to the  symbol to your order (see page 6-7 for further information)

soho



shown here:
SOH-109S/A-C/P



soho



soho

shown opposite:
SOH-100E/CC-C/P

soho
coordinating accessories
see page 254



mono basin mixer
with pop-up waste
1.0 bar MP
SOH-100-C/P
Eto FR-100/5-PLA



extended mono basin mixer
1.0 bar MP
SOH-100E/CC-C/P with clic-clac waste
SOH-100E/SB-C/P without clic-clac waste
Eto FR-100/5-PLA



mono basin mixer
1.0 bar MP
SOH-100/CC-C/P with clic-clac waste
SOH-100/SB-C/P without clic-clac waste
Eto FR-100/5-PLA



2 hole basin mixer
0.2 bar LP
SOH-109S/A-C/P
Eto FR-100/5-PLA

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)



mono bidet mixer
with pop-up waste
1.0 bar MP
SOH-110-C/P
Eto FR-100/5-PLA



4 hole bath shower mixer
3.0 bar HP
SOH-132-C/P
Eto FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P

for use with SOH-132/NS-C/P

3 hole bath shower mixer without spout
for use with bath filler waste and overflow
3.0 bar HP
SOH-132/NS-C/P
Eco FR-SHOWER/9-C/P



bath shower mixer
with shower kit
3.0 bar HP
SOH-133-C/P
Eco FR-SHOWER/9-C/P

exposed bath shower mixer
without shower kit
1.0 bar MP
SOH-123-C/P
Eco FR-SHOWER/9-C/P





concealed thermostatic shower valve
0.2 bar LP
SOH-148C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
SOH-148C/2-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
SOH-148C/3-C/P
includes fittings for 1/2" and 3/4" pipework



concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
SOH-145A-C/P



concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
SOH-147A-C/P



origins



all origins mixers are supplied with a chrome lever as standard stone handles, or Nuance coloured handles may be purchased separately



ORI-1-PORTORO



ORI-1-BARDIGLIO



ORI-1-BOTTICINO



ORI-1-CARRARA



NUA-2/LEVER-BLK



NUA-2/LEVER-RED



NUA-2/LEVER-WHT



shown below:
ORI-100E/SB-C/P
ORI-1-BOTTICINO



elements
coordinating accessories
see page 276



infinity
coordinating accessories
see page 252



mono basin mixer
with pop-up waste
0.2 bar LP
ORI-100-C/P
Eto FR-100/5-PLA



mono basin mixer
0.2 bar LP
ORI-100/CC-C/P with clic-clac waste
ORI-100/SB-C/P without clic-clac waste
Eto FR-100/5-PLA



extended mono basin mixer
0.2 bar LP
ORI-100E/CC-C/P with clic-clac waste
ORI-100E/SB-C/P without clic-clac waste
Eto FR-100/5-PLA

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)

shown:
ORI-100/CC-C/P
ORI-1-PORTORO





mono bidet mixer
with pop-up waste
1.0 bar MP
ORI-110-C/P
Eco FR-100/5-PLA



mono basin mixer
with pop-up waste
0.2 bar LP
ORI-100S-C/P*
Eco FR-100/5-PLA



mono sink mixer
with swivel spout
0.2 bar LP
ORI-150S-C/P*
Eco FR-100/5-PLA



2 hole basin mixer
0.2 bar LP
ORI-109S/A-C/P
Eco FR-100/5-PLA

exposed bath shower mixer
without shower kit
1.5 bar MP
ORI-123-C/P*
EBo FR-SHOWER/9-C/P



bath spout
0.2 bar LP
ORI-140-C/P

concealed stop valve 3/4"
0.2 bar LP
Z00-143-3/4-C/P



2 way diverter
1.0 bar MP
ELE-DIVERTER/D-C/P



concealed 2 way diverter valve
0.2 bar LP
Z00-144/2-C/P



concealed 3 way diverter valve
1.0 bar MP
Z00-144/3-C/P



*only available with origins chrome or origins stone handles

to save water just add the code shown next to the EBo symbol to your order (see page 6-7 for further information)



bath shower mixer
with shower kit
and swivel spout
3.0 bar HP
ORI-133-C/P
Eco FR-SHOWER/9-C/P

4 hole bath shower mixer
3.0 bar HP
ORI-132-C/P*
Eco FR-SHOWER/9-C/P



3 hole bath shower mixer without spout
for use with bath filler waste and overflow
3.0 bar HP
ORI-132/NS-C/P*
Eco FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P



for use with ORI-132/NS-C/P

*only available with origins chrome or origins stone handles

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)





1 outlet

concealed shower valve*
0.2 bar LP (shower) 1.5 bar MP (bath)
ORI-145A-C/P



2 outlet

concealed shower valve with diverter*
0.2 bar LP (shower) 1.5 bar MP (bath)
ORI-147A-C/P



1 outlet

AXIO:THERM

concealed thermostatic shower valve*
1.0 bar MP
ORI-145T-C/P



2 outlet

AXIO:THERM

concealed thermostatic shower valve
with diverter*
1.0 bar MP (shower) 3.0 bar HP (bath)
ORI-147T-C/P



1 outlet

STUOFAST

concealed 2 handle
thermostatic shower valve*
0.2 bar LP
ORI-148C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



2 outlet

STUOFAST


concealed 2 outlet 2 handle
thermostatic shower valve
with integrated diverter*
1.5 bar MP
ORI-148C/2-C/P
includes fittings for 1/2" and 3/4" pipework

*only available with origins chrome or nuance coloured handles

to save water just add the code shown next to the **E8** symbol to your order (see page 6-7 for further information)



geo



geo

shown opposite:
 GEO-109/220-C/P
 MIR-MAG/DM-LIT
 PEX-461/SQ-1.1/4-C/P

square
 coordinating accessories
 see page 268



level
 coordinating accessories
 see page 260




mono basin mixer
 1.0 bar MP
 GEO-100/CC-C/P with clic-clac waste
 GEO-100/SB-C/P without clic-clac waste
 Eto FR-FLEXI/5-PLA (2 are required)



mono basin mixer
 1.0 bar MP
 INS-100/CC-C/P with clic-clac waste
 INS-100/SB-C/P without clic-clac waste
 Eto FR-FLEXI/5-PLA (2 are required)



3 hole basin mixer with 220mm spout
 0.2 bar LP
 GEO-109/220-C/P
 Eto FR-FLEXI/5-PLA (2 are required)



3 hole basin mixer
 0.2 bar LP
 GEO-109-C/P
 Eto FR-FLEXI/5-PLA (2 are required)



3 hole basin mixer
 spout can swivel or be fixed
 1.0 bar MP
 GEO-101-C/P
 Eto FR-FLEXI/5-PLA (2 are required)




5 hole bath shower mixer
1.5 bar MP
GEO-135-3/4-C/P
Eco FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P

for use with GEO-135/NS-3/4-C/P



4 hole bath shower mixer without spout
for use with bath filler waste and overflow
1.5 bar MP
GEO-135/NS-3/4-C/P
Eco FR-SHOWER/9-C/P



3 hole bath filler
1.0 bar MP
GEO-139-C/P



bath spout
1.0 bar MP
GEO-FLOORSPOUT-C/P



bath shower mixer
with shower kit
and swivel spout
3.0 bar HP
INS-133+K-C/P
Eco FR-SHOWER/9-C/P



concealed thermostatic shower valve
0.2 bar LP
NOT-148C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
NOT-148C/2-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
NOT-148C/3-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 handle thermostatic shower valve
0.2 bar LP
NOT-128C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework




concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
NOT-145A-C/P



concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
NOT-147A-C/P





pair of valves 3/4"
0.2 bar LP
GEO-142/PR-3/4-C/P



concealed stop valve, 3/4"
0.2 bar LP
GEO-143-3/4-C/P



concealed 2 way diverter valve
0.2 bar LP
GEO-144/2-C/P



concealed 3 way diverter valve
1.5 bar MP
GEO-144/3-C/P




bath spout
0.2 bar LP
INS-140-C/P

waterfall bath spout
1.0 bar MP
SYN-140/W-C/P



waterfall bath spout
1.5 bar MP
SYN-140/D-C/P



té falls



shown opposite:
2x ELE-187-SQ
2x TEF-109S/A-C/P
INF-182-C/P
INF-183-C/P

square
coordinating accessories
see page 268



level
coordinating accessories
see page 260



extended mono basin mixer
with waterfall spout
0.2 bar LP
TEF-100E/CC-C/P with clic-clac waste
TEF-100E/SB-C/P without clic-clac waste
Ebo flow regulator fitted as standard



mono basin mixer
with waterfall spout
0.2 bar LP
TEF-100/CC-C/P with clic-clac waste
TEF-100/SB-C/P without clic-clac waste
Ebo flow regulator fitted as standard



2 hole basin mixer
with waterfall spout
1.0 bar MP
TEF-109S/A-C/P
Ebo flow regulator fitted as standard

té




shown opposite:
TE-100/CC-C/P

square
coordinating accessories
see page 268





level
coordinating accessories
see page 260




mono basin mixer
0.2 bar LP
TE-100/CC-C/P with clic-clac waste
TE-100/SB-C/P without clic-clac waste
 FR-100/5-PLA



extended mono basin mixer
0.2 bar LP
TE-100E/CC-C/P with clic-clac waste
TE-100E/SB-C/P without clic-clac waste
 FR-100/5-PLA

mini mono basin mixer
0.5 bar LP
TE-100M/CC-C/P with clic-clac waste
TE-100M/SB-C/P without clic-clac waste
 FR-FLEXI/5-PLA (2 are required)






2 hole basin mixer
0.2 bar LP
TE-109S/A-C/P
FR-100/5-PLA



mono bidet mixer
without pop-up waste
0.2 bar LP
TE-110/SB-C/P
FR-100/5-PLA



2 hole bath filler
0.2 bar LP
TE-137-C/P

2 hole bath shower mixer
with shower kit
0.2 bar LP
TE-130+K-C/P
Eco FR-SHOWER/9-C/P




2 hole bath shower mixer
without shower kit
0.2 bar LP
TE-130-C/P
Eco FR-SHOWER/9-C/P



2 hole thermostatic bath shower
mixer with shower kit
1.0 bar MP
TE-131T+K-C/P
Eco FR-SHOWER/9-C/P




exposed bath shower mixer
with shower kit
1.5 bar MP
TE-123+K-C/P
Eco FR-SHOWER/9-C/P



exposed bath shower mixer
without shower kit
1.5 bar MP
TE-123-C/P
Eco FR-SHOWER/9-C/P



exposed thermostatic bath
shower mixer with shower kit
1.0 bar MP
TE-123T+K-C/P
Eco FR-SHOWER/9-C/P




exposed thermostatic bath
shower mixer without shower kit
1.0 bar MP
TE-123T-C/P
Eco FR-SHOWER/9-C/P



4 hole bath shower mixer
3.0 bar HP
TE-132-C/P
Eco FR-SHOWER/9-C/P



3 hole bath shower mixer without spout
for use with bath filler waste and overflow
3.0 bar HP
TE-132/NS-C/P
Eco FR-SHOWER/9-C/P




bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P



bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P

for use with TE-132/NS-C/P



waterfall bath spout
1.5 bar MP
SYN-140/D-C/P



waterfall bath spout
1.0 bar MP
SYN-140/W-C/P



bath spout
0.2 bar LP
NOT-140-C/P

exposed thermostatic shower valve, 1/2"
0.2 bar LP
TE-149T-C/P
EBo FR-SHOWER/9-C/P



1 outlet
concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
TE-145A-C/P



2 outlet
concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
TE-147A-C/P



concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
MIX-148C/2-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 handle thermostatic shower valve
0.2 bar LP
MIX-128C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed thermostatic shower valve
0.2 bar LP
MIX-148C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
MIX-148C/3-C/P
includes fittings for 1/2" and 3/4" pipework



life



shown opposite:
LIF-100/CC-C/P


Life
coordinating accessories
see page 272



mono basin mixer
0.2 bar LP
LIF-100/CC-C/P with clic-clac waste
LIF-100/SB-C/P without clic-clac waste
Eco FR-100/5-PLA



mini mono basin mixer
0.5 bar LP
LIF-100M/CC-C/P with clic-clac waste
LIF-100M/SB-C/P without clic-clac waste
Eco FR-100/5-PLA



2 hole basin mixer
and 230mm spout
0.2 bar LP
LIF-109S/A-C/P
Eco FR-100/5-PLA



2 hole basin mixer
and 200mm spout
0.2 bar LP
LIF-109S/A-200-C/P
Eco FR-100/5-PLA

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



mono bidet mixer
without pop-up waste
1.0 bar MP
LIF-110/SB-C/P
Eco FR-100/5-PLA



mono sink mixer
with swivel spout
0.2 bar LP
LIF-150S-C/P
Eco FR-100/5-PLA



bath shower mixer
with shower kit
3.0 bar HP
LIF-133+K-C/P
Eco FR-SHOWER/9-C/P



valve for use with
bath filler waste and overflow
1.0 bar MP
LIF-142/SL-C/P



3 hole bath shower mixer without spout
for use with bath filler waste and overflow
3.0 bar HP
LIF-132/NS-C/P
 FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P

for use with LIF-132/NS-C/P and LIF-142/SL-C/P



4 hole bath shower mixer
3.0 bar HP
LIF-132-C/P
 FR-SHOWER/9-C/P



2 hole bath filler
0.2 bar LP
LIF-137-C/P



2 hole bath shower mixer
with shower kit
0.2 bar LP
LIF-130+K-C/P
FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
LIF-130-C/P
FR-SHOWER/9-C/P



exposed bath shower mixer
with shower kit
1.5 bar MP
LIF-123+K-C/P
FR-SHOWER/9-C/P

exposed bath shower mixer
without shower kit
1.5 bar MP
LIF-123-C/P
FR-SHOWER/9-C/P



bath spout
0.2 bar LP
LIF-140-C/P



concealed thermostatic shower valve
0.2 bar LP
LIF-148C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
LIF-148C/2-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
LIF-148C/3-C/P
includes fittings for 1/2" and 3/4" pipework



concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
LIF-145A-C/P



concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
LIF-147A-C/P



AXIO:THERM
concealed thermostatic shower valve
1.0 bar MP
LIF-145T-C/P



AXIO:THERM
concealed thermostatic shower valve with diverter
1.0 bar MP (shower) 3.0 bar HP (bath)
LIF-147T-C/P



sense



shown opposite:
SEN-100/CC-C/P

elements
coordinating accessories
see page 276



eclipse
coordinating accessories
see page 256



mono basin mixer
0.2 bar LP
SEN-100/CC-C/P with clic-clac waste
SEN-100/SB-C/P without clic-clac waste
Eto FR-100/5-PLA



mono basin mixer
with pop-up waste
0.2 bar LP
SEN-100-C/P
Eto FR-100/5-PLA



extended mono basin mixer
0.2 bar LP
SEN-100E/CC-C/P with clic-clac waste
SEN-100E/SB-C/P without clic-clac waste
Eto FR-100/5-PLA



extended mono basin mixer
with pop-up waste
0.2 bar LP
SEN-100E-C/P
Eto FR-100/5-PLA

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)



mini mono basin mixer
0.5 bar LP
SEN-100M/CC-C/P with clic-clac waste
SEN-100M/SB-C/P without clic-clac waste
Eco FR-FLEXI/5-PLA (2 are required)



mono bidet mixer
with pop-up waste
1.0 bar MP
SEN-110-C/P
Eco FR-100/5-PLA



2 hole basin mixer
0.2 bar LP
SEN-109S/A-C/P
Eco FR-100/5-PLA



mono bath filler
0.2 bar LP
SEN-137M-C/P



2 hole bath filler
0.2 bar LP
SEN-137-C/P



2 hole bath shower mixer
with shower kit
0.2 bar LP
SEN-130+K-C/P
Eto FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
SEN-130-C/P
Eto FR-SHOWER/9-C/P

exposed bath shower mixer
with shower kit
1.5 bar MP
SEN-123+K-C/P
Eto FR-SHOWER/9-C/P

exposed bath shower mixer
without shower kit
1.5 bar MP
SEN-123-C/P
Eto FR-SHOWER/9-C/P



4 hole bath shower mixer without spout
for use with bath filler waste and overflow
1.0 bar MP
SEN-135/NS-C/P
Eto FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P

for use with SEN-135/NS-C/P



concealed stop valve, 3/4"
0.2 bar LP
SEN-143-3/4-C/P



concealed 2 way diverter valve
0.2 bar LP
SEN-144/2-C/P



1
concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
SEN-145A-C/P

2
concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
SEN-147A-C/P





1 QUIK **AXIO:THERM**
 concealed thermostatic shower valve
 1.0 bar MP
 SEN-145T-C/P



pair of valves, 3/4"
 0.2 bar LP
 SEN-142/PR-3/4-C/P



2 QUIK **AXIO:THERM**
 concealed thermostatic shower valve with diverter
 1.0 bar MP (shower) 3.0 bar HP (bath)
 SEN-147T-C/P



1 QUIK **STUDFAST**
 concealed thermostatic
 shower valve
 0.2 bar LP
 LIF-148C-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework

ZOO



shown opposite:
ZOO-100/CC-C/P

elements
coordinating accessories
see page 276



eclipse
coordinating accessories
see page 256



mono basin mixer
0.2 bar LP
ZOO-100/CC-C/P with clic-clac waste
ZOO-100/SB-C/P without clic-clac waste
Eco FR-100/5-PLA



mono basin mixer
with pop-up waste
0.2 bar LP
ZOO-100-C/P
Eco FR-100/5-PLA



extended mono basin mixer
0.2 bar LP
ZOO-100E/CC-C/P with clic-clac waste
ZOO-100E/SB-C/P without clic-clac waste
Eco FR-100/5-PLA



extended mono basin mixer
with pop-up waste
0.2 bar LP
ZOO-100E-C/P
Eco FR-100/5-PLA

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



2 hole basin mixer
0.2 bar LP
ZOO-109S/A-C/P
Eto FR-100/5-PLA



3 hole basin mixer
0.2 bar LP
ZOO-109-C/P
Eto FR-100/5-PLA

shown opposite:
Z00-100/CC-C/P
NOT-148C-3/4-C/P
AOB-S0/20/SA/A-C/P



mini mono basin mixer
0.5 bar LP
Z00-100M/CC-C/P with clic-clac waste
Z00-100M/SB-C/P without clic-clac waste
Eto FR-FLEXI/5-PLA (2 are required)



mono bidet mixer
with pop-up waste
1.0 bar LP
Z00-110-C/P
Eto FR-100/5-PLA



basin pillar taps
0.2 bar LP
Z00-106-C/P
Eto FR-106/4-PLA (2 are required)



3 hole basin mixer
with pop-up waste
0.2 bar LP
Z00-101-C/P
Eto FR-100/5-PLA

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)



mono bath filler
0.2 bar LP
ZOO-137M-C/P



exposed bath filler
1.5 bar MP
ZOO-138-C/P



exposed thermostatic bath filler
1.0 bar MP
CEL-137T-C/P



2 hole thermostatic bath filler
1.0 bar MP
CEL-134T-C/P



2 hole bath filler
0.2 bar LP
Z00-137-C/P



2 hole bath shower mixer
with shower kit
0.2 bar LP
Z00-130+K-C/P
 FR-SHOWER/9-C/P



2 hole bath shower mixer
without shower kit
0.2 bar LP
Z00-130-C/P
 FR-SHOWER/9-C/P

4 hole bath shower mixer
3.0 bar HP
ZOO-132-C/P
FR-SHOWER/9-C/P



3 hole bath shower mixer without spout
for use with bath filler waste and overflow
1.0 bar MP
ZOO-132/NS-C/P
FR-SHOWER/9-C/P



5 hole bath shower mixer
1.0 bar MP
ZOO-135-3/4-C/P
FR-SHOWER/9-C/P



4 hole bath shower mixer without spout
for use with bath filler waste and overflow
1.0 bar MP
ZOO-135/NS-3/4-C/P
FR-SHOWER/9-C/P



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P



for use with ZOO-132/NS-C/P and ZOO-135/NS-3/4-C/P

exposed bath shower mixer
without shower kit
1.5 bar MP
Z00-123-C/P
EBo FR-SHOWER/9-C/P



exposed bath shower mixer
with shower kit
1.5 bar MP
Z00-123+K-C/P
EBo FR-SHOWER/9-C/P



exposed thermostatic bath shower mixer
without shower kit
1.5 bar MP
CEL-123T-C/P
EBo FR-SHOWER/9-C/P



exposed thermostatic bath shower mixer
with shower kit
1.5 bar MP
CEL-123T+K-C/P
EBo FR-SHOWER/9-C/P




2 hole thermostatic bath shower mixer
without shower kit
1.5 bar MP
CEL-131T-C/P
EBo FR-SHOWER/9-C/P



2 hole thermostatic bath shower mixer
with shower kit
1.5 bar MP
CEL-131T+K-C/P
EBo FR-SHOWER/9-C/P






1 outlet 
 concealed 2 handle thermostatic
 shower valve
 0.2 bar LP
 CEL-148C/RO-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework



1 outlet 
 concealed 2 handle thermostatic
 shower valve
 0.2 bar LP
 CEL-148C/SQ-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework




2 outlet 
 concealed 2 outlet, 2 handle thermostatic
 shower valve with integrated diverter
 1.5 bar MP
 CEL-148C/2/RO-C/P
 includes fittings for 1/2" and 3/4" pipework



2 outlet 
 concealed 2 outlet, 2 handle thermostatic
 shower valve with integrated diverter
 1.5 bar MP
 CEL-148C/2/SQ-C/P
 includes fittings for 1/2" and 3/4" pipework



3 outlet 
 concealed 3 outlet, 2 handle thermostatic
 shower valve with integrated diverter
 1.5 bar MP
 CEL-148C/3/RO-C/P
 includes fittings for 1/2" and 3/4" pipework



3 outlet 
 concealed 3 outlet, 2 handle thermostatic
 shower valve with integrated diverter
 1.5 bar MP
 CEL-148C/3/SQ-C/P
 includes fittings for 1/2" and 3/4" pipework



concealed 3 handle thermostatic shower valve
0.2 bar LP
CEL-128C/SQ-3/4-C/P
includes fittings for 1/2" and 3/4" pipework

concealed thermostatic mixing valve
0.2 bar LP
CEL-163-C/P
note: this valve must be used in conjunction with a stop valve (page 205)



concealed thermostatic shower valve
1.0 bar MP
Z00-145T-C/P



concealed thermostatic shower valve with diverter
1.0 bar MP (shower) 3.0 bar HP (bath)
Z00-147T-C/P



concealed thermostatic shower valve
1.0 bar MP
Z00-145T/SQ-C/P





concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
ZOO-145A/RO-C/P



concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
ZOO-145A/SQ-C/P



concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
ZOO-147A/RO-C/P



concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
ZOO-147A/SQ-C/P



exposed thermostatic shower valve 1/2"
0.2 bar LP
CEL-149-1/2-C/P
Eco FR-SHOWER/9-C/P



exposed thermostatic shower valve 3/4"
0.2 bar LP
CEL-149-3/4-C/P
Eco FR-SHOWER/9-C/P



bath spout
0.2 bar LP
Z00-140-C/P

concealed 2 way diverter valve
0.2 bar LP
Z00-144/2-C/P



concealed stop valve 3/4"
0.2 bar LP
Z00-143-3/4-C/P

concealed 3 way diverter valve
1.0 bar MP
Z00-144/3-C/P



pair of stop valves, 3/4"
0.2 bar LP
Z00-142/PR-3/4-C/P

2 way diverter
1.0 bar MP
ELE-DIVERTER/D-C/P





shown here:
ZOO-100/CC-C/P
NOT-128C-3/4-C/P
INS-SFMKWO-C/P
WG-61552/S-C/P



phase



shown opposite:
PHA-200/CC-C/P

atom
coordinating accessories
see page 258



eclipse
coordinating accessories
see page 256



new

mono basin mixer
0.2 bar LP
PHA-200/CC-C/P with clic-clac waste
PHA-200/SB-C/P without clic-clac waste
Eco FR-100/5-PLA



new

mini mono basin mixer
0.5 bar LP
PHA-200M/CC-C/P with clic-clac waste
PHA-200M/SB-C/P without clic-clac waste
Eco flow regulator fitted as standard



new

mono bidet mixer
with pop-up waste
1.0 bar MP
PHA-210-C/P
Eco FR-100/5-PLA



2 hole basin mixer
0.2 bar LP
PHA-109S/A-C/P
Eco FR-100/5-PLA

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



2 hole bath filler
0.2 bar LP
PHA-137-C/P

exposed bath shower mixer
with shower kit
1.5 bar MP
PHA-123+K-C/P
FR-SHOWER/9-C/P



exposed bath shower mixer
without shower kit
1.5 bar MP
PHA-123-C/P
FR-SHOWER/9-C/P



2 hole bath shower mixer
with shower kit
0.2 bar LP
PHA-130+K-C/P
FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
PHA-130-C/P
FR-SHOWER/9-C/P

exposed thermostatic shower valve, 1/2"
0.2 bar LP
TE-149T-C/P
FR-SHOWER/9-C/P





1 outlet

concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
PHA-145A-C/P



2 outlet

concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
PHA-147A-C/P

2 outlet

concealed 2 outlet, 2 handle thermostatic
shower valve with integrated diverter
1.5 bar MP
PHA-148C/2-C/P
includes fittings for 1/2" and 3/4" pipework

2 outlet

concealed 3 handle thermostatic
shower valve
0.2 bar LP
MIX-128C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework

1 outlet

concealed thermostatic
shower valve
0.2 bar LP
PHA-148C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework

3 outlet

concealed 3 outlet, 2 handle thermostatic
shower valve with integrated diverter
1.5 bar MP
PHA-148C/3-C/P
includes fittings for 1/2" and 3/4" pipework



photon



shown opposite:
PHO-100/CC-C/P

atom
coordinating accessories
see page 258



eclipse
coordinating accessories
see page 256



mono basin mixer
0.2 bar LP
PHO-100/CC-C/P with clic-clac waste
PHO-100/SB-C/P without clic-clac waste
Eco FR-100/5-PLA



mini mono basin mixer
0.5 bar LP
PHO-100M/CC-C/P with clic-clac waste
PHO-100M/SB-C/P without clic-clac waste
Eco flow regulator fitted as standard



mono bidet mixer
with pop-up waste
1.0 bar MP
PHO-110-C/P
Eco FR-100/5-PLA



2 hole basin mixer
0.2 bar LP
PHO-109S/A-C/P
Eco FR-100/5-PLA

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



2 hole bath filler
0.2 bar LP
PHO-137-C/P

exposed bath shower mixer
with shower kit
1.5 bar MP
PHO-123+K-C/P
Ebo FR-SHOWER/9-C/P



exposed bath shower mixer
without shower kit
1.5 bar MP
PHO-123-C/P
Ebo FR-SHOWER/9-C/P



2 hole bath shower mixer
with shower kit
0.2 bar LP
PHO-130+K-C/P
Ebo FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
PHO-130-C/P
Ebo FR-SHOWER/9-C/P