



1 outlet
 concealed shower valve
 0.2 bar LP (shower) 1.5 bar MP (bath)
 PHO-145A-C/P



2 outlet
 concealed shower valve with diverter
 0.2 bar LP (shower) 1.5 bar MP (bath)
 PHO-147A-C/P



concealed thermostatic
 shower valve
 0.2 bar LP
 PHO-148C-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic
 shower valve with integrated diverter
 1.5 bar MP
 PHO-148C/2-C/P
 includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic
 shower valve with integrated diverter
 1.5 bar MP
 PHO-148C/3-C/P
 includes fittings for 1/2" and 3/4" pipework



ion



ion

shown opposite:
ION-100/CC-C/P

atom
coordinating accessories
see page 258



eclipse
coordinating accessories
see page 256



mono basin mixer
0.2 bar LP
ION-100/CC-C/P with clic-clac waste
ION-100/SB-C/P without clic-clac waste
Eco FR-100/5-PLA




mini mono basin mixer
0.5 bar LP
ION-100M/CC-C/P with clic-clac waste
ION-100M/SB-C/P without clic-clac waste
Eco flow regulator fitted as standard



basin pillar taps
0.2 bar LP
ION-106-C/P
Eco FR-106/5-PLA (2 are required)

2 hole basin mixer
0.2 bar LP
ION-109S/A-C/P
Eco FR-100/5-PLA



to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



mono bidet mixer
with-pop-up waste
1.0 bar MP
ION-110-C/P
Eco FR-100/5-PLA



bath pillar taps
0.2 bar LP
ION-136-C/P
Eco FR-106/5-PLA (2 are required)



2 hole bath filler
0.2 bar LP
ION-137-C/P



2 hole bath shower mixer
with shower kit
0.2 bar LP
ION-130+K-C/P
Eco FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
ION-130-C/P
Eco FR-SHOWER/9-C/P



exposed bath shower mixer
with shower kit
1.5 bar MP
ION-123+K-C/P
Eco FR-SHOWER/9-C/P

exposed bath shower mixer
without shower kit
1.5 bar MP
ION-123-C/P
Eco FR-SHOWER/9-C/P



1 outlet
 concealed shower valve
 0.2 bar LP (shower) 1.5 bar MP (bath)
 ION-145A-C/P



2 outlet
 concealed shower valve with diverter
 0.2 bar LP (shower) 1.5 bar MP (bath)
 ION-147A-C/P



exposed thermostatic shower valve 1/2"
 0.2 bar LP
 CEL-149-1/2-C/P
FR-SHOWER/9-C/P



exposed thermostatic shower valve 3/4"
 0.2 bar LP
 CEL-149-3/4-C/P
FR-SHOWER/9-C/P



2 outlet **STUOFAST**
 concealed 3 handle thermostatic
 shower valve
 0.2 bar LP
 CEL-128C/SQ-3/4-C/P
 includes fittings for 1/2" and 3/4" pipework



concealed 2 handle thermostatic shower valve
0.2 bar LP
CEL-148C/RO-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 handle thermostatic shower valve
0.2 bar LP
CEL-148C/SQ-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
CEL-148C/2/RO-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
CEL-148C/2/SQ-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
CEL-148C/3/RO-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic shower valve with integrated diverter
1.5 bar MP
CEL-148C/3/SQ-C/P
includes fittings for 1/2" and 3/4" pipework

ascent



ascent

shown opposite:
ASC-100/CC-C/P

atom
coordinating accessories
see page 258



eclipse
coordinating accessories
see page 256



mono basin mixer
0.2 bar LP
ASC-100/CC-C/P with clic-clac waste
ASC-100/SB-C/P without clic-clac waste
Ebo FR-100/5-PLA



mono kitchen mixer
with swivel spout
0.2 bar LP
ASC-150-C/P
Ebo FR-100/5-A-PLA

mono bidet mixer
1.0 bar MP
ASC-110-C/P
Ebo FR-FLEXI/5-PLA (2 are required)



to save water just add the code shown next to the Ebo symbol to your order (see page 6-7 for further information)

exposed bath shower mixer
with shower kit
1.5 bar MP
ASC-123+K-C/P
Eco FR-SHOWER/9-C/P

exposed bath shower mixer
without shower kit
1.5 bar MP
ASC-123-C/P
Eco FR-SHOWER/9-C/P



2 hole bath shower mixer
with shower kit
1.5 bar MP
ASC-131+K-C/P
Eco FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
1.5 bar MP
ASC-131-C/P
Eco FR-SHOWER/9-C/P

2 hole bath shower mixer
with shower kit
0.2 bar LP
ASC-130+K-C/P
Eco FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
ASC-130-C/P
Eco FR-SHOWER/9-C/P





2 hole bath filler
0.2 bar LP
ASC-137-C/P



1 outlet
concealed shower valve
0.2 bar LP (shower) 1.5 bar MP (bath)
ASC-145A-C/P



2 outlet
concealed shower valve with diverter
0.2 bar LP (shower) 1.5 bar MP (bath)
ASC-147A-C/P

elements water, air and tonic



elements water, air and tonic

shown opposite:
elements water
ELW-100/CC-C/P

infinity
coordinating accessories
see page 252




elements
coordinating accessories
see page 276



mono basin mixer
with pop-up waste
0.2 bar LP
ELW-100-C/P
 FR-100/5-PLA



mono basin mixer
0.2 bar LP
ELW-100/CC-C/P with clic-clac waste
ELW-100/SB-C/P without clic-clac waste
 FR-100/5-PLA

available with:



water
when ordering* put
ELW- at the beginning
of the code
e.g. ELW-100-C/P



air
when ordering* put
ELA- at the beginning
of the code
e.g. ELA-100-C/P



tonic
when ordering* put
TON- at the beginning
of the code
e.g. TON-100-C/P

to save water just add the code shown next to the  symbol to your order (see page 6-7 for further information)

*not applicable to showering (see page 116)

elements water, air and tonic



basin pillar taps
0.2 bar LP
ELW-106-C/P*
Eto FR-106/5-PLA (2 are required)



3 hole basin mixer
with pop-up waste
0.2 bar LP
ELW-101-C/P
Eto FR-100/5-PLA



mono bidet mixer
with pop-up waste
0.2 bar LP
ELW-110-C/P
Eto FR-100/5-PLA

*only available with elements water handles

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)



handle options
for handle options see page 111



3 hole basin mixer with 200mm spout
0.2 bar LP
ELW-109L-C/P
FR-106/5-PLA (2 are required)

shown below:
tonic
TON-109L-C/P



elements water, air and tonic



2 hole bath filler
0.2 bar LP
ELW-137-C/P*

2 hole bath shower mixer
with shower kit
0.2 bar LP
ELW-130+K-C/P*
Eto FR-SHOWER/9-C/P

2 hole bath shower mixer
without shower kit
0.2 bar LP
ELW-130-C/P*
Eto FR-SHOWER/9-C/P



3 hole bath filler with 200mm spout
0.2 bar LP
ELW-126L-3/4-C/P



*not available with air handles

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)



shown here:
elements water
ELW-135-3/4-C/P, ELW-101-C/P



4 hole bath shower mixer without spout
for use with bath filler waste and overflow
1.0 bar MP
ELW-135/NS-3/4-C/P
FR-SHOWER/9-C/P



handle options
for handle options see page 111



bath filler waste and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste and overflow
extended version
1.0 bar MP
WG-61552/E-C/P

for use with ELW-135/NS-3/4-C/P



5 hole bath shower mixer
1.0 bar MP
ELW-135-3/4-C/P
FR-SHOWER/9-C/P

elements water, air and tonic

shown opposite:
elements air
ELA-109L-C/P



concealed thermostatic
shower valve
0.2 bar LP
water ELE-348C-3/4-C/P
air ELE-248C-3/4-C/P
tonic TON-248C-3/4-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 2 outlet, 2 handle thermostatic
shower valve with integrated diverter
1.5 bar MP
water ELE-348C/2-C/P
air ELE-248C/2-C/P
tonic TON-348C/2-C/P
includes fittings for 1/2" and 3/4" pipework



concealed 3 outlet, 2 handle thermostatic
shower valve with integrated diverter
1.5 bar MP
water ELE-348C/3-C/P*
tonic TON-348C/3-C/P*
includes fittings for 1/2" and 3/4" pipework



pair of valves, 3/4"
0.2 bar LP
ELW-142/PR-3/4-C/P



concealed 3 handle thermostatic
shower valve
0.2 bar LP
water ELE-128C-3/4-C/P*
tonic TON-128C-3/4-C/P*
includes fittings for 1/2" and 3/4" pipework



concealed stop valve, 3/4"
0.2 bar LP
ELW-143-3/4-C/P



2 outlet
concealed 2 outlet diverter valve
0.2 bar LP
Z00-144/2-C/P



3 outlet
concealed 3 outlet diverter valve
1.0 bar MP
Z00-144/3-C/P



2 outlet
2 outlet diverter
1.0 bar MP
ELE-DIVERTER/D-C/P



see page 151

*not available with elements air handles



elements water, air and tonic

victoriana



shown opposite:
VIC-106/CD-C/P

tournament
coordinating accessories
see page 280



mono basin mixer
with pop-up waste
0.2 bar LP
chrome VIC-100/CD-C/P
antique gold VIC-100/CD-A/G
Eto FR-100/5-PLA



basin pillar taps
0.2 bar LP
chrome VIC-106/CD-C/P
antique gold VIC-106/CD-A/G
Eto FR-106/4-PLA (2 are required)



3 hole basin mixer
0.2 bar LP
chrome VIC-109/CD-C/P
antique gold VIC-109/CD-A/G
Eto FR-106/4-PLA (2 are required)

finishes available



chrome



antique gold




3 hole basin mixer
without pop-up waste
0.2 bar LP
chrome VIC-101/CD-C/P
antique gold VIC-101/CD-A/G
Eto FR-106/4-PLA (2 are required)

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)

victoriana



mono bidet mixer
with pop-up waste
0.2 bar LP
chrome VIC-110/CD-C/P
antique gold VIC-110/CD-A/G
Eco FR-100/5-PLA



bath shower mixer
with shower kit
0.2 bar LP
chrome VIC-133/CD+K-C/P
Eco chrome FR-SHOWER/9-C/P
antique gold VIC-133/CD+K-A/G
Eco antique gold FR-SHOWER/9-A/G



bath pillar taps
0.2 bar LP
chrome VIC-136/CD-C/P
antique gold VIC-136/CD-A/G

2 hole bath filler
 0.2 bar LP
 chrome VIC-137/CD-C/P
 antique gold VIC-137/CD-A/G



2 hole bath shower mixer
 with shower kit
 0.2 bar LP
 chrome VIC-131/S/CD-C/P
 Eto chrome FR-SHOWER/9-C/P
 antique gold VIC-131/S/CD-A/G
 Eto antique gold FR-SHOWER/9-A/G

exposed bath shower mixer
 with shower kit
 0.2 bar LP
 chrome VIC-120/CD-C/P
 Eto chrome FR-SHOWER/9-C/P
 antique gold VIC-120/CD-A/G
 Eto antique gold FR-SHOWER/9-A/G



victoriana



2 way bath shower mixer with spout
without shower head
1.0 bar MP
chrome VIC-124/CD-C/P
antique gold VIC-124/CD-A/G



mono kitchen mixer
with swivel spout
0.2 bar LP
chrome VIC-151/CD-C/P
antique gold VIC-151/CD-A/G
E8 FR-100/5-PLA



concealed stop valve, 3/4"
supplied with both hot and cold indices
0.2 bar LP
chrome VIC-143/CD-3/4-C/P
antique gold VIC-143/CD-3/4-A/G

concealed stop valve, 1/2"
supplied with both hot and cold indices
1.0 bar MP
chrome VIC-143/CD-1/2-C/P
antique gold VIC-143/CD-1/2-A/G



concealed thermostatic shower valve
0.2 bar LP
chrome WSB-148-3/4-C/P
antique gold WSB-148-3/4-A/G



exposed thermostatic shower valve
0.2 bar LP
chrome WSB-149-3/4-C/P
antique gold WSB-149-3/4-A/G



kensington



kensington

shown opposite:
KEN-109/CD-C/P
TOU-181-C/P
TOU-186-C/P

tournament
coordinating accessories
see page 280



mono basin mixer
with pop-up waste
0.2 bar LP
chrome/white KEN-100/CD-C/P
chrome/black KEN-200/CD-C/P

antique gold/white KEN-100/CD-A/G
antique gold/black KEN-200/CD-A/G
Eco FR-100/5-PLA



3 hole basin mixer
without pop-up waste
0.2 bar LP
chrome/white KEN-101/CD-C/P
chrome/black KEN-201/CD-C/P

antique gold/white KEN-101/CD-A/G
antique gold/black KEN-201/CD-A/G
Eco FR-106/4-PLA (2 are required)



basin pillar taps
0.2 bar LP
chrome/white KEN-106/CD-C/P
chrome/black KEN-206/CD-C/P

antique gold/white KEN-106/CD-A/G
antique gold/black KEN-206/CD-A/G
Eco FR-106/4-PLA (2 are required)



finishes available



chrome with white
handles and indices



chrome with black
handles and indices



antique gold with white
handles and indices



antique gold with black
handles and indices

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



mono bidet mixer
with pop-up waste
0.2 bar LP
chrome/white KEN-110/CD-C/P
chrome/black KEN-210/CD-C/P


antique gold/white KEN-110/CD-A/G
antique gold/black KEN-210/CD-A/G
 FR-100/5-PLA



bath pillar taps
0.2 bar LP
chrome/white KEN-136/CD-C/P
chrome/black KEN-236/CD-C/P

antique gold/white KEN-136/CD-A/G
antique gold/black KEN-236/CD-A/G



bath shower mixer
with shower kit
0.2 bar LP
chrome/white KEN-133/CD+K-C/P
chrome/black KEN-233/CD+K-C/P
 chrome FR-SHOWER/9-C/P

antique gold/white KEN-133/CD+K-A/G
antique gold/black KEN-233/CD+K-A/G
 antique gold FR-SHOWER/9-A/G



3 hole basin mixer
0.2 bar LP
chrome/white KEN-109/CD-C/P
chrome/black KEN-209/CD-C/P

antique gold/white KEN-109/CD-A/G
antique gold/black KEN-209/CD-A/G
Eco FR-106/4-PLA (2 are required)

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



2 hole bath filler
0.2 bar LP
chrome/white KEN-137/CD-C/P
chrome/black KEN-237/CD-C/P

antique gold/white KEN-137/CD-A/G
antique gold/black KEN-237/CD-A/G



exposed bath shower mixer
with shower kit
0.2 bar LP
chrome/white KEN-120/CD-C/P
chrome/black KEN-220/CD-C/P
Eto chrome FR-SHOWER/9-C/P

antique gold/white KEN-120/CD-A/G
antique gold/black KEN-220/CD-A/G
Eto antique gold FR-SHOWER/9-A/G



2 hole bath shower mixer
with shower kit
0.2 bar LP
chrome/white KEN-131/CD-C/P
chrome/black KEN-231/CD-C/P
Eto chrome FR-SHOWER/9-C/P

antique gold/white KEN-131/CD-A/G
antique gold/black KEN-231/CD-A/G
Eto antique gold FR-SHOWER/9-A/G



exposed thermostatic shower valve
 0.2 bar LP
 chrome/white WSB-149-3/4-C/P
 chrome/black WSB-249-3/4-C/P
 EBo chrome FR-SHOWER/9-C/P

antique gold/white WSB-149-3/4-A/G
 antique gold/black WSB-249-3/4-A/G
 EBo antique gold FR-SHOWER/9-A/G



concealed stop valve, 1/2"
 supplied with both hot and cold indices
 1.0 bar MP
 chrome/white KEN-143/CD-1/2-C/P
 chrome/black KEN-243/CD-1/2-C/P

antique gold/white KEN-143/CD-1/2-A/G
 antique gold/black KEN-243/CD-1/2-A/G



concealed stop valve, 3/4"
 supplied with both hot and cold indices
 0.2 bar LP
 chrome/white KEN-143/CD-3/4-C/P
 chrome/black KEN-243/CD-3/4-C/P

antique gold/white KEN-143/CD-3/4-A/G
 antique gold/black KEN-243/CD-3/4-A/G

mono kitchen mixer
 with swivel spout
 0.2 bar LP
 chrome/white KEN-151/CD-C/P
 chrome/black KEN-251/CD-C/P

antique gold/white KEN-151/CD-A/G
 antique gold/black KEN-251/CD-A/G
 EBo FR-100/5-PLA



concealed thermostatic shower valve
 0.2 bar LP
 chrome/white WSB-148-3/4-C/P
 chrome/black WSB-248-3/4-C/P

antique gold/white WSB-148-3/4-A/G
 antique gold/black WSB-248-3/4-A/G

wentworth



wentworth

shown opposite:
WEN-131-C/P

tournament
coordinating accessories
see page 280



mono basin mixer
with pop-up waste
0.2 bar LP
chrome WEN-100-C/P
antique gold WEN-100-A/G
E8o FR-100/5-PLA



basin pillar taps with long spouts
0.2 bar LP
chrome WEN-106L-C/P
antique gold WEN-106L-A/G
E8o FR-106/4-PLA (2 are required)

finishes available



chrome



antique gold

to save water just add the code shown next to the E8o symbol to your order (see page 6-7 for further information)

3 hole basin mixer
with pop-up waste
0.2 bar LP
chrome WEN-101-C/P
antique gold WEN-101-A/G
Eco FR-FLEXI/5-PLA (2 are required)



mono bidet mixer
with pop-up waste
0.2 bar LP
chrome WEN-110-C/P
antique gold WEN-110-A/G
Eco FR-100/5-PLA



bath pillar taps
0.2 bar LP
chrome WEN-136-C/P
antique gold WEN-136-A/G





2 hole bath filler
0.2 bar LP
chrome WEN-137-C/P
antique gold WEN-137-A/G



luxury standpipes
chrome WEN-190-C/P
antique gold WEN-190-A/G



bath shower mixer
with shower kit
0.2 bar LP
chrome WEN-131-C/P
 chrome FR-SHOWER/9-C/P
antique gold WEN-131-A/G
 antique gold FR-SHOWER/9-A/G





bath shower mixer
with shower kit
0.2 bar LP
chrome WEN-133+K-C/P
Eto chrome FR-SHOWER/9-C/P
antique gold WEN-133+K-A/G
Eto antique gold FR-SHOWER/9-A/G



1 outlet
exposed thermostatic shower valve
0.2 bar LP
chrome/white WSB-149-3/4-C/P
Eto chrome FR-SHOWER/9-C/P

antique gold/white WSB-149-3/4-A/G
Eto antique gold FR-SHOWER/9-A/G



1 outlet
concealed thermostatic shower valve
0.2 bar LP
chrome/white WSB-148-3/4-C/P

antique gold/white WSB-148-3/4-A/G



i-tech



shown opposite:
IR-100/ASC-C/P

elements
coordinating accessories
see page 276



level
coordinating accessories
see page 260



ascent infra-red

mono basin mixer
mains or AA battery operated
1.0 bar MP
IR-100/ASC-C/P
Eco FR-100/5-PLA



life infra-red

mono basin mixer
mains or AA battery operated
1.0 bar MP
IR-100/LIF-C/P
Eco FR-100/5-PLA

zoo infra-red

mono basin mixer
mains or AA battery operated
1.0 bar MP
IR-100/ZOO-C/P
Eco FR-100/5-PLA



to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)




infra-red spout
mains or AA battery operated
1.0 bar MP
IR-DSPOUT-C/P
Eco FR-FLEX/4-PLA



zoo infra-red
mono basin mixer
with adjustable temperature control
mains or AA battery operated
1.0 bar MP
IR-100/ZOOT-C/P
Eco FR-100/5-PLA



project line infra-red
mono basin mixer
mains or AA battery operated
1.0 bar MP
IR-100/PRO-C/P
Eco FR-100/5-PLA



notion infra-red

basin mixer
mains or AA battery operated
1.0 bar MP
IR-109/NOT-C/P
Eco FR-100/5-PLA



zoo infra-red

basin mixer
mains or AA battery operated
1.0 bar MP
IR-109/ZOO-C/P
Eco FR-100/5-PLA



infra-red spout

mains or AA battery operated
1.0 bar MP
IR-WSPOUT-C/P
Eco FR-FLEX/4-PLA

NEW

protherm in-line

thermostatic valve
TMV2 approved
supplied with 15mm fittings
0.2 bar LP
PRO-5001-N/P



22mm fittings available to
purchase separately
PRO-5001/C-22MM





mini mono basin mixers



mini mono basin mixers

shown opposite:
LIF-100M/CC-C/P

our mini mixer collection is ideally suited for cloakrooms and smaller basins



té
mini mono basin mixer
0.5 bar LP
TE-100M/CC-C/P with clic-clac waste
TE-100M/SB-C/P without clic-clac waste
E8 FR-FLEXI/5-PLA (2 are required)



life
mini mono basin mixer
0.5 bar LP
LIF-100M/CC-C/P with clic-clac waste
LIF-100M/SB-C/P without clic-clac waste
E8 FR-100/5-PLA



sense
mini mono basin mixer
0.5 bar LP
SEN-100M/CC-C/P with clic-clac waste
SEN-100M/SB-C/P without clic-clac waste
E8 FR-FLEXI/5-PLA (2 are required)



zoo
mini mono basin mixer
0.5 bar LP
ZOO-100M/CC-C/P with clic-clac waste
ZOO-100M/SB-C/P without clic-clac waste
E8 FR-FLEXI/5-PLA (2 are required)



phase
mini mono basin mixer
0.5 bar LP
PHA-200M/CC-C/P with clic-clac waste
PHA-200M/SB-C/P without clic-clac waste
E8 FR-FLEXI/5-PLA (2 are required)



photon
mini mono basin mixer
0.5 bar LP
PHO-100M/CC-C/P with clic-clac waste
PHO-100M/SB-C/P without clic-clac waste
E8 FR-FLEXI/5-PLA (2 are required)



ion
mini mono basin mixer
0.5 bar LP
ION-100M/CC-C/P with clic-clac waste
ION-100M/SB-C/P without clic-clac waste
E8 FR-FLEXI/5-PLA (2 are required)

to save water just add the code shown next to the E8 symbol to your order (see page 6-7 for further information)

wastes and fittings



shown opposite:
WG-61552/S-C/P



angle valve
1/2" x 1/2"
PEX-225-C/P



luxury angle valve
1/2" x 1/2" threaded male outlet
PEX-226-C/P



angle valve
1/2" x 3/8" (10mm compression)
PEX-228-C/P



angle valve
1/2" x 1/2"
PEX-229F-C/P



angle valve
1/2" x 1/2"
PEX-233-C/P



angle valve
1/2" x 3/8" (10mm compression)
PEX-234-C/P



contemporary angle valve quarter turn
including integral filter 1/2" x 1/2"
PEX-230-C/P



contemporary angle valve quarter turn
including integral filter
1/2" x 3/8" (10mm compression)
PEX-221-C/P



victoriana angle valve
1/2" x 1/2"
supplied with hot and cold indices
VIC-160/CD-C/P



american angle valve
1/2" x 3/8" (10mm compression)
PEX-231-C/P



square angle valve quarter turn
1/2" x 1/2"
PEX-232-C/P



angle valve
1/2" x 1/2"
WAR-260/CD-C/P

wastes and fittings



luxury shattaf kit with 120cm hose, wall bracket, concealed thermostatic mixing valve and angle valve
1.0 bar MP
XSH-SHATTAF/163-C/P
FR-SHOWER/9-C/P



luxury brass shattaf handset with 120cm hose and wall bracket
1.0 bar MP
XSH-LUXSHATTAF/SB-CP
FR-SHOWER/9-C/P



shattaf kit
1.0 bar MP
chrome PEX-SHATTAF-C/P
black/chrome PEX-SHATTAF-B/C
white/chrome PEX-SHATTAF-W/C
FR-SHOWER/9-C/P



contemporary bottle trap
1.1/4" x 1.1/4"
PEX-461-1.1/4-C/P



contemporary square bottle trap
1.1/4" x 1.1/4"
PEX-461/SQ-1.1/4-C/P



bottle trap
1.1/4" x 1.1/4"
PEX-460-1.1/4-C/P



bottle trap
1.1/2" x 1.1/2"
PEX-460-1.1/2-C/P



bidet trap
1.1/4" x 1.1/4"
PEX-480-C/P



wastes and fittings



bath pop-up waste
and overflow
WG-51552/S-C/P

bath pop-up waste
and overflow
extended version
WG-51552/E-C/P




bath filler waste
and overflow
1.0 bar MP
WG-61552/S-C/P

bath filler waste
and overflow
extended version
1.0 bar MP
WG-61552/E-C/P



push type bath waste
and overflow – extended
version only available
WG-51389/E-C/P



push type bath filler waste
and overflow – extended
version only available
1.0 bar MP
WG-61389/E-C/P

brass top kleen shower tray waste
PEX-451TK-C/P



stowaway bath waste,
metal plug and chain, 1.1/2"
PEX-KITB-STOW-C/P



ABS turbo shower tray waste 90mm
WG-205240-C/P

metal turbo shower tray waste 90mm
WG-205241-C/P



new

thermostatic valve
TMV2 approved
supplied with 15mm fittings
0.2 bar LP
PRO-5001-N/P

22mm fittings available to
purchase separately
PRO-5001/C-22MM

wastes and fittings



celsius concealed thermostatic mixing valve
0.2 bar LP
CEL-163-C/P
note: this valve must be used in
conjunction with a stop valve (page 205)



stainless steel flange
1/2" centre, depth 9mm
PEX-788-ST



wall mounting brackets with shrouds
WG-049BRACK+SHR-C/P




copper connector tube
2 x 1/2" nuts
PEX-224-300 (300mm)
PEX-224-400 (400mm)
PEX-224-500 (500mm)
PEX-224-600 (600mm)
PEX-224-800 (800mm)

braided flexible hose
stainless steel
1/2" x 1/2" female connections
PEX-222/30-C/P (300mm)
PEX-222/40-C/P (400mm)




the studfast concealed shower valve mounting bracket


studfast is an easy, strong and secure method of mounting VADO thermostatic shower valves into stud walls to create a firm and trouble-free installation



the VADO concealed thermostatic shower valve body bolts on to the studfast bracket creating a firm installation

look for the  logo which denotes the shower valves suitable for use with the studfast bracket

studfast concealed wall bracket for mounting VADO thermostatic shower valves in stud walls
WG-STUDFAST-C-S/S



kitchen mixers



shown opposite:
CUC-3001-C/P



notion
mono sink mixer
with swivel spout
1.0 bar MP
NOT-150S-C/P
Eco FR-100/5-PLA



eli
mono sink mixer
with swivel pull-out spout
1.0 bar MP
CUC-3001-C/P
Eco FR-100/5-PLA



sky
mono sink mixer
with swivel spout
0.2 bar LP
CUC-1060-C/P
Eco FR-100/5-PLA



life
mono sink mixer
with swivel spout
0.2 bar LP
LIF-150S-C/P
Eco FR-100/5-PLA

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)

kitchen mixers



kori
mono sink mixer
with swivel spout
0.2 bar LP
CUC-1004-C/P
Eco FR-100/5-PLA



vibe
professional mono sink mixer
with swivel spout
1.0 bar MP
CUC-1061-C/P



ascent
mono sink mixer
with swivel spout
0.2 bar LP
ASC-150-C/P
Eco FR-100/5-A-PLA





all origins mixers are supplied with a chrome lever as standard
stone handles may be purchased separately



ORI-1-PORTORO



ORI-1-BARDIGLIO



ORI-1-BOTTICINO



ORI-1-CARRARA



origins*
mono sink mixer
with swivel spout
0.2 bar LP
ORI-150S-C/P
Eco FR-100/5-PLA

*only available with origins chrome or origins stone handles

to save water just add the code shown next to the Eco symbol to your order (see page 6-7 for further information)



victoriana
mono sink mixer
with swivel spout
0.2 bar LP
chrome VIC-151/CD-C/P
antique gold VIC-151/CD-A/G
Eco FR-100/5-PLA



kensington
mono sink mixer
with swivel spout
0.2 bar LP
see page 125 for colour and handle options
chrome/white KEN-151/CD-C/P
chrome/black KEN-251/CD-C/P
antique gold/white KEN-151/CD-A/G
antique gold/black KEN-251/CD-A/G
Eco FR-100/5-PLA



elements water
mono kitchen mixer
with swivel spout
1.0 bar MP
ELW-150-C/P
Eco FR-100/5-PLA




elements air
mono kitchen mixer
with swivel spout
1.0 bar MP
ELA-150S-C/P
Eco FR-100/5-PLA



shower valves

160



configure your perfect shower:
a guide to creating your **VADO**
personalised showering package

new **162**



tablet thermostatic shower valves

3 outlet **172**



3 outlet 2 handle
thermostatic shower valves

2 outlet **176**



2 outlet 3 handle
thermostatic shower valves

2 outlet **180**




2 outlet 2 handle
thermostatic shower valves

1 outlet **184**



1 outlet 2 handle
thermostatic shower valves

188



altitude showering

1 outlet **190**



axiotherm single lever wall mounted
thermostatic valves

AXIO:THERM

2 outlet **192**



axiotherm single lever wall mounted
thermostatic valves with diverters

AXIO:THERM

194



wall mounted exposed shower valves

1 outlet **196**



wall mounted
concealed manual valves

2 outlet **200**




wall mounted concealed manual
valves with diverters

205



single wall mounted stop valves

206



2 and 3 outlet diverters

208



shower columns

214



rigid riser kits

207



pairs of deck mounted stop valves

The perfect showering solution for your bathroom can be selected from our comprehensive collection of shower valves, heads, rails and components below.

shower heads, kits and components



configure your perfect shower

shown here:
2 x NOT-148C/2-C/P
2 x AQB-SQ/20/SA/A-C/P
2 x INS-SFMKWO-C/P



configure your perfect shower

1 outlet

to control water temperature and flow to 1 outlet



page 184
1 outlet concealed
thermostatic shower valves



page 190
axiotherm single lever
concealed thermostatic
valves



page 196
concealed manual
valves

choose one of the following options



page 148
bath filler wastes



page 222
slide rail kits



page 230
deck kits



page 234
mini shower kits



page 238
showerheads

2 outlet

to control water temperature and flow to 2 outlets, operating one at a time

use the shower valve diverter to switch between 2 outlets

3 handle shower valves allow for water flow control to 2 outlets simultaneously, while temperature control is for both outlets



page 180
2 outlet thermostatic
shower valves with
integrated diverters



page 176
3 handle thermostatic
shower valves



page 192
axiotherm single lever
concealed thermostatic
valves with diverters



page 200
concealed manual
valves with diverters

choose two of the following options



page 148
bath filler wastes



page 222
slide rail kits



page 230
deck kits



page 234
mini shower kits



page 238
showerheads



page 248
bodytile

3 outlet

to control water temperature and flow control to 3 outlets, operating 1 at a time

use the shower valve diverter to switch between the 3 outlets



page 172
3 outlet thermostatic
shower valves with
integrated diverters

choose three of the following options



page 148
bath filler wastes



page 222
slide rail kits



page 230
deck kits



page 234
mini shower kits



page 238
showerheads



page 248
bodytile

tablet is an elegant, stylish new range of horizontal and vertical thermostatic valves.

compact in form,
unique in operation



1 Flow Control

Independently controls the flow of water to two outlets, with additional 'all-flow' function, which enables both outlets to operate simultaneously.

2 Temperature Control

Smooth and safe pre-set temperature control. The thermostatic cartridge prevents scalding from sudden pressure fluctuations and cold water isolation.

3 Flow Control

Controls the flow of water to one outlet.



Elegant Styling

Tablet is available in vertical and horizontal formats.



all-flow

All 2 and 3 outlet models feature an exclusive 'all-flow' function* that delivers water to either outlet independently or all outlets simultaneously.

High flow internal waterways ensure an outstanding performance even at low pressure.

*with the exception of all TAB-128/2 valves

1



2



3



tablet 3 outlet 3 handle
thermostatic shower valves



tablet 3 outlet 3 handle

shown opposite:

TAB-1750/NOT-V2-CP comprising:

TAB-128/3-NOT-C/P

AQB-SQ/40-C/P

2x WG-BODYTILE/SQ-C/P

WG-EFSA/SQ-C/P

INS-OUTLET-C/P

WG-V2KIT-C?P



altitude horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-128/3-H-ALT-C/P

includes fittings for 1/2" and 3/4" pipework




altitude vertical

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-128/3-ALT-C/P

includes fittings for 1/2" and 3/4" pipework



notion horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-128/3-H-NOT-C/P

includes fittings for 1/2" and 3/4" pipework



notion vertical

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-128/3-NOT-C/P

includes fittings for 1/2" and 3/4" pipework

tablet 2 outlet 3 handle
thermostatic shower valves



tablet 2 outlet 3 handle

shown opposite:
TAB-128/2-H-NOT-C/P



altitude horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-128/2-H-ALT-C/P
includes fittings for 1/2" and 3/4" pipework



new



altitude vertical

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-128/2-ALT-C/P
includes fittings for 1/2" and 3/4" pipework



notion horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-128/2-H-NOT-C/P
includes fittings for 1/2" and 3/4" pipework



new



notion vertical

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-128/2-NOT-C/P
includes fittings for 1/2" and 3/4" pipework

see page 151



tablet 2 outlet 2 handle
thermostatic shower valves



tablet 2 outlet 2 handle

shown opposite:

TAB-1725/ALT-CP comprising:

TAB-148/2-ALT-C/P

WG-BODYTILE/RO-C/P

AQB-RO/50-C/P

WG-EFSA/RO-C/P

new



altitude horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-148/2-H-ALT-C/P

includes fittings for 1/2" and 3/4" pipework



new



altitude vertical

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-148/2-ALT-C/P

includes fittings for 1/2" and 3/4" pipework

new



notion horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-148/2-H-NOT-C/P

includes fittings for 1/2" and 3/4" pipework



new



notion vertical

0.2 bar LP (shower) 1.0 bar MP (bath)

TAB-148/2-NOT-C/P

includes fittings for 1/2" and 3/4" pipework

tablet 2 outlet 2 handle

tablet 1 outlet 2 handle
thermostatic shower valves



shown opposite:
TAB-148-ALT-C/P



altitude horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-148-H-ALT-C/P
includes fittings for 1/2" and 3/4" pipework



altitude vertical

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-148-ALT-C/P
includes fittings for 1/2" and 3/4" pipework



notion horizontal

0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-148-H-NOT-C/P
includes fittings for 1/2" and 3/4" pipework




notion vertical


0.2 bar LP (shower) 1.0 bar MP (bath)
TAB-148-NOT-C/P
includes fittings for 1/2" and 3/4" pipework

see page 151



3 outlet 2 handle thermostatic shower valves





this diagram shows a 3-way shower valve with diverter



the diverter can be set to send the mixed water to any of the three outlets. shown here using a slide rail shower kit and a shower head and arm and a bath filler waste and overflow

the water does not flow from all the outlets at the same time. the water is diverted to either the shower head, the slide rail kit or the bath filler

3 outlet thermostatic shower valves with integrated diverters



soho

1.5 bar MP
SOH-148C/3-C/P
includes fittings for 1/2"
and 3/4" pipework



life

1.5 bar MP
LIF-148C/3-C/P
includes fittings for 1/2"
and 3/4" pipework



notion

1.5 bar MP
NOT-148C/3-C/P
includes fittings for 1/2"
and 3/4" pipework



celsius

1.5 bar MP
CEL-148C/3/SQ-C/P
includes fittings for 1/2"
and 3/4" pipework



celsius

1.5 bar MP
CEL-148C/3/RO-C/P
includes fittings for 1/2"
and 3/4" pipework





phase

1.5 bar MP
 PHA-148C/3-C/P
 includes fittings for 1/2"
 and 3/4" pipework



photon

1.5 bar MP
 PHO-148C/3-C/P
 includes fittings for 1/2"
 and 3/4" pipework



mix²

1.5 bar MP
 MIX-148C/3-C/P
 includes fittings for 1/2"
 and 3/4" pipework



tonic

1.5 bar MP
 TON-348C/3-C/P
 includes fittings for 1/2"
 and 3/4" pipework




elements water

1.5 bar MP
 ELE-348C/3-C/P
 includes fittings for 1/2"
 and 3/4" pipework

2 outlet 3 handle
thermostatic shower valves





2 outlet

this example is shown with a shower head and bodytiles, but the valve can be used to control any two separate outlets eg. a slide rail kit or a bath spout

this shower valve has 2 separately controllable outlets that can let water flow either to the shower head, or the bodytiles, or both at the same time

2 outlet thermostatic shower valves



notion

0.2 bar LP
NOT-128C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



celsius

0.2 bar LP
CEL-128C/SQ-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



mix²

0.2 bar LP
MIX-128C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework





elements water*

0.2 bar LP
ELE-128C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



tonic*


0.2 bar LP
TON-128C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework

*not available with elements air handles

2 outlet 2 handle
thermostatic shower valves



shown opposite:
NOT-148C/2-C/P
AQB-SQ/40-C/P
ELE-CMA/12-C/P
INS-SFMKWO-C/P
BAS-2000-C/P
MIR-BORDER/DIM-LIT
ORI-100E/CC-C/P



this diagram shows a 2 outlet shower valve with diverter



the diverter can be set to send the mixed water to either of the two outlets. shown here with a slide rail shower kit and a shower head and arm

the water does not flow from both outlets at the same time. the water is diverted to either the shower head or the slide rail kit.

2 outlet thermostatic shower valves with integrated diverters



notion
1.5 bar MP
NOT-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



mix²
1.5 bar MP
MIX-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



soho
1.5 bar MP
SOH-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



life
1.5 bar MP
LIF-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



origins*
1.5 bar MP
ORI-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



celsius
1.5 bar MP
CEL-148C/2/SQ-C/P
includes fittings for 1/2"
and 3/4" pipework



celsius

1.5 bar MP
CEL-148C/2/RO-C/P
includes fittings for 1/2"
and 3/4" pipework



phase

1.5 bar MP
PHA-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



photon

1.5 bar MP
PHO-148C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



tonic

1.5 bar MP
TON-348C/2-C/P
includes fittings for 1/2"
and 3/4" pipework



elements air

1.5 bar MP
ELE-248C/2-C/P
includes fittings for 1/2"
and 3/4" pipework




elements water

1.5 bar MP
ELE-348C/2-C/P
includes fittings for 1/2"
and 3/4" pipework

1 outlet 2 handle thermostatic shower valves





this example is shown with a shower head and arm, but the valve can be used to control any single outlet eg. a slide rail kit or a bath filler waste

1 outlet thermostatic shower valves



notion
0.2 bar LP
NOT-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



mix²
0.2 bar LP
MIX-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



soho
0.2 bar LP
SOH-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



life
0.2 bar LP
LIF-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



origins*
0.2 bar LP
ORI-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



celsius
0.2 bar LP
CEL-148C/SQ-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework





celsius

0.2 bar LP
CEL-148C/RO-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



phase

0.2 bar LP
PHA-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



photon

0.2 bar LP
PHO-148C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



tonic

0.2 bar LP
TON-348C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



elements air

0.2 bar LP
ELE-248C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



elements water

0.2 bar LP
ELE-348C-3/4-C/P
includes fittings for 1/2"
and 3/4" pipework



westbury

0.2 bar LP
chrome/white WSB-148-3/4-C/P
chrome/black WSB-248-3/4-C/P
antique gold/white WSB-148-3/4-A/G
antique gold/black WSB-248-3/4-A/G

altitude showering




altitude showering


shown opposite:
 ALT-1294-C/P
 4 x WG-BODYTILE/RO-C/P
 AQB-RO/50-C/P
 ELE-CMA/6IN-C/P
 LIF-SFMK-C/P
 LIF-OUTLET-C/P




one outlet operation:
 1 x thermostatic valve
 1 x concealed stop valve
 with studfast bracket
 0.2 bar LP (shower) 1.0 bar MP (bath)
 ALT-1291-C/P




two outlet operation:
 1 x thermostatic valve
 2 x concealed stop valves
 with studfast bracket
 0.2 bar LP (shower) 1.0 bar MP (bath)
 ALT-1292-C/P



2 or 3 outlet operation:
 1 x thermostatic valve
 1 x concealed stop valve
 1 x concealed 2 or 3 way diverter valve
 with studfast bracket
 0.2 bar LP (shower) 1.0 bar MP (bath)
 ALT-1293-C/P




3 or 4 outlet operation:
 1 x thermostatic valve
 2 x concealed stop valve
 1 x concealed 2 or 3 way diverter valve
 with studfast bracket
 0.2 bar LP (shower) 1.0 bar MP (bath)
 ALT-1294-C/P



axiotherm single lever
wall mounted thermostatic valves



shown opposite:
SEN-145T-C/P



this example is shown with a shower head and arm but, the valve can be used to control any single outlet eg. a slide rail kit or a bath filler waste



1 outlet AXIO:THERM
life
single lever thermostatic shower valve
1.0 bar MP
LIF-145T-C/P



1 outlet AXIO:THERM
origins*
single lever thermostatic shower valve
1.0 bar MP
ORI-145T-C/P



1 outlet AXIO:THERM
sense
single lever thermostatic shower valve
1.0 bar MP
SEN-145T-C/P



1 outlet AXIO:THERM
ZOO
single lever thermostatic shower valve
1.0 bar MP
ZOO-145T-C/P




1 outlet AXIO:THERM
ZOO
single lever thermostatic shower valve
1.0 bar MP
ZOO-145T/SQ-C/P

*please note only available with origins chrome or nuance coloured handles

axiotherm single lever wall mounted
thermostatic valves with diverters



shown opposite:
ZOO-147T/RO-C/P
AOB-RO/30/SA-C/P



this example is shown with a shower head and arm and a bath spout but, the valve can be used to control any two separate outlets eg. a shower head and a slide rail kit

the diverter can be set to send the mixed water to either of the two outlets. the water does not flow from both outlets at the same time.



2 outlet AXIO:THERM

life

single lever thermostatic shower valve with diverter
1.0 bar MP (shower) 3.0 bar HP (bath)
LIF-147T-C/P



2 outlet AXIO:THERM

origins*

single lever thermostatic shower valve with diverter
1.0 bar MP (shower) 3.0 bar HP (bath)
ORI-147T-C/P



2 outlet AXIO:THERM

sense

single lever thermostatic shower valve with diverter
1.0 bar MP (shower) 3.0 bar HP (bath)
SEN-147T-C/P



2 outlet AXIO:THERM

ZOO

single lever thermostatic shower valve with diverter
1.0 bar MP (shower) 3.0 bar HP (bath)
ZOO-147T-C/P

*please note only available with origins chrome or nuance coloured handles

wall mounted exposed shower valves



wall mounted exposed shower valves

shown opposite:
CEL-149-3/4-C/P
ERI-SFSRK-DB-C/P



celsius

1/2" thermostatic valve
0.2 bar LP
CEL-149-1/2-C/P
Eto FR-SHOWER/9-C/P



celsius

3/4" thermostatic valve
0.2 bar LP
CEL-149-3/4-C/P
Eto FR-SHOWER/9-C/P



gallo

1/2" thermostatic valve
0.2 bar LP
DGS-149-1/2-C/P
Eto FR-SHOWER/9-C/P



té

1/2" thermostatic valve
0.2 bar LP
TE-149T-C/P
Eto FR-SHOWER/9-C/P



westbury


3/4" thermostatic valve
0.2 bar LP
chrome/white WSB-149-3/4-C/P
chrome/black WSB-249-3/4-C/P
Eto chrome FR-SHOWER/9-C/P

antique gold/white WSB-149-3/4-A/G
antique gold/black WSB-249-3/4-A/G
Eto antique gold FR-SHOWER/9-A/G

to save water just add the code shown next to the Eto symbol to your order (see page 6-7 for further information)

wall mounted concealed manual valves





this example is shown with a shower head and arm but, the valve can be used to control any single outlet eg. a slide rail kit or a bath filler waste

wall mounted concealed manual valves



synergie

0.2 bar LP (shower) 1.5 bar MP (bath)
SYN-145A-C/P



soho

0.2 bar LP (shower) 1.5 bar MP (bath)
SOH-145A-C/P



origins*

0.2 bar LP (shower) 1.5 bar MP (bath)
ORI-145A-C/P



notion

0.2 bar LP (shower) 1.5 bar MP (bath)
NOT-145A-C/P
see page 28 for handle options



té

0.2 bar LP (shower) 1.5 bar MP (bath)
TE-145A-C/P



sense

0.2 bar LP (shower) 1.5 bar MP (bath)
SEN-145A-C/P